



**ELECTRIC
POWER DOOR**



**COMBINED THREAT
RESISTANT DOOR**



THE ONLY DOOR OF ITS KIND

The CTR door system is designed to be the all-in-one protective door solution. **Manufactured in the USA** and built to perform under the most extreme conditions.

Third-party tested and backed by decades of experience, the CTR Door System is engineered for real-world threats. While traditional doors address one risk at a time, the CTR Door combines ballistic, blast, fire, and forced entry protection into a single, integrated system.

TESTING STANDARDS



Level 8 Ballistic



Tested to UL 752 Level 8 standards, this door stops high-powered rifle fire, including 7.62 mm rounds at 3,025 feet per second. It is reinforced with military-grade AR500 ballistic steel for maximum strength and reliability when security is critical.



3 Hour Fire Rating



Tested to UL 10C, NFPA 252, and CAN/ULC S104, this door delivers a minimum 3 hours of fire resistance. High-temperature seals, fire-rated insulation, and a rigid steel structure work together to reduce panel deflection and maintain integrity under extreme heat.



60 Minute Forced Entry



Tested to SD-STD-01.01, this door delivers 60 minutes of forced entry resistance—even under aggressive, sustained attack. Its robust construction is designed to stay firmly in place, even if the hinges are removed, ensuring critical security when it matters most.

Call us today! (800) 346-5760

STANDARD FEATURES



Blast Resistant



CTR Doors are engineered to withstand intense blast loads, with the single-swing model rated for pressures up to 70 psi, making it ideal for high-risk environments. Contact EPD for detailed specs or custom solutions to meet your specific protection needs.



High-Performance Hinges



This door features high-performance hinges that ensure smooth operation, allowing it to meet strict force requirements. Engineered for durability and reliability, they provide effortless functionality without compromising on strength or security.



Multipoint Latching



Heavy-duty 1" diameter steel pins are positioned at the jamb, head, and sill. When the door closes, these pins automatically engage into a 6" channel frame, securing the door at multiple points for enhanced strength and resistance.

OPTIONAL FEATURES



Gun Port



Enhance tactical readiness with an optional 3.5" gun port, tested to the same ballistic, fire, and forced entry standards as the door. It features a spring-loaded closing mechanism and automatic latching for secure use under pressure.



Optional Controls



- Power Latching
- Remote Access Control
- Panic Bar
- Position Switches
- Keyed Exterior Lock
- Handle Free Exterior



Single or Bi-Swing



The CTR Door is available in two standard configurations: a 3' x 7' single swing and a 6' x 7' bi-swing. Both models are tested and certified to the same rigorous standards, ensuring consistent protection.

YOUR SECURITY IS OUR PRIORITY

Electric Power Door is committed to building the most reliable doors in the industry. Our support starts by helping you choose the right door and continues through the entire design and building process.

We stand behind every product we have made since 1923. We still provide replacement parts and technical service for all our older models to ensure they perform for decades. We work hard to understand your specific needs so you can focus on getting your job done with equipment you can trust.



**ELECTRIC
POWER DOOR**



522 West 27th Street
Hibbing, MN 55746



Toll Free: (800) 346-5760
Phone: (218) 263-8366



Email: mail@electricpowerdoor.com



www.electricpowerdoor.com